



flippi™

READ AND SAVE THESE IMPORTANT INSTRUCTIONS

Owner's Guide

LEA Y TENGA EN CUENTA ESTAS INSTRUCCIONES IMPORTANTES

Guía del Propietario

LIRE ET CONSERVER CES INSTRUCTIONS IMPORTANTES

Guide de L'utilisateur

www.vornado.com

models Flippi V10 and Flippi V

Designed, engineered and supported in Andover, Kansas.

Pensado, diseñado y respaldado en Andover, Kansas.

Conception, mise au point et soutien technique effectués à Andover, au Kansas.

Questions or comments?

¿Preguntas o comentarios?

Questions ou commentaires?



www.vornado.com



consumerservice@vornado.com



800.234.0604

Contents

Important Instructions	4
How To Use	9
Care and Maintenance	11
Warranty	12

Español p. 14
Français p. 26

IMPORTANT INSTRUCTIONS

READ ALL INSTRUCTIONS BEFORE USE.

Your Vornado Air Circulator has a polarized plug. (One blade is wider than the other.) To reduce the risk of electrical shock, this plug is intended to fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Do not attempt to defeat this safety feature.

The manufacturer assumes no responsibility for damage or injury caused by failure to follow these instructions, improper product use, or unauthorized product modification. Any such actions will invalidate the product warranty.

WARNING: Do not tamper with or modify this product in any way.

WARNING – To reduce the risk of fire or electrical shock, do not use this product with any solid state speed control device. To reduce the risk of fire or electric shock and injury to persons, do not use in a window.

WARNING – This is a fan - not a toy and not intended for children. To reduce the risk of personal injury and electric shock, the Flippi™ fan should not be used, operated or placed where children can reach it.

This product employs overload protection (fuse). A blown fuse indicates an overload or short-circuit situation. If the fuse blows, unplug the product from the outlet. Replace the fuse as per the user servicing instructions (follow product marking for proper fuse rating) and check the product. If the replacement fuse blows, a short-circuit may be present and the product should be discarded or returned to an authorized service facility for examination and/or repair.

IMPORTANT INSTRUCTIONS

READ ALL INSTRUCTIONS BEFORE USE.

- **Do** unplug your circulator before cleaning.
- **Do** clean your Vornado Air Circulator regularly. Refer to the CLEANING instructions provided. Never clean the air circulator in any manner other than as instructed in this manual.
- **Do** use common sense when using this product and/or any electrical appliance.
- **Do** use caution when positioning this product on an elevated surface, as vibrations or accidental bumping may cause the fan to unexpectedly fall.
- **Do Not** use gasoline, thinners, solvents, ammonias or other chemicals for cleaning.
- **Do Not** immerse this product in water or allow water to drip into the motor housing.
- **Do Not** use near furnaces, fireplaces, stoves or other high-temperature heat sources.
- **Do Not** position this product too close to draperies because they may be drawn into the rear grill, cutting off airflow.
- **Do Not** use this product outdoors.
- **Do Not** use this product on wet surfaces.
- **Do Not** use this product in a bathtub or shower.
- **Do Not** operate any fan with a damaged cord or plug. Discard fan or return to an authorized service facility for examination and/or repair.
- **Do Not** carry this product by the cord, or use the cord as a handle.
- **Do Not** attempt to repair or replace parts.
- **Do Not** run cord under carpeting. Do not cover cord with throw rugs, runners, or similar coverings. Arrange cord away from traffic area and where it will not be tripped over.
- **Do Not** operate the fan while closed in the nested position as it will not circulate the air.




IMPORTANT INSTRUCTIONS

READ ALL INSTRUCTIONS BEFORE USE.

User Servicing Instructions

Grasp plug and remove from the receptacle or other outlet device. Do not unplug by pulling on cord. Open fuse cover (A.) by sliding access cover on top of attachment plug towards blades. Remove fuse (B.) carefully by gently prying out the ends of the fuse from the receptacle. Risk of fire. Replace fuse only with 2.5 Amp, 125 Volt fuse. Contact Vornado customer service for replacement fuse. Phone: 1-800-234-0604, email: consumerservice@vornado.com

Install replacement fuse (C.) by first placing the end of the fuse into the fuse receptacle which is opposite of the blades of the plug, then carefully push in the other end. Only push against the metal end of the fuse, not the glass center portion. Close the fuse access cover (D.) by sliding the cover back into the plug until it is completely closed, latches and is flush with the face of the plug. Risk of fire. Do not replace attachment plug. Contains a safety device (fuse, AFCI, LCDI) that should not be removed. Discard product if the attachment plug is damaged.



The Flippi V (with remote) requires one (1) lithium coin cell battery (CR2032), 3 Volt (included). DO NOT DISPOSE OF BATTERIES IN FIRE. BATTERIES MAY EXPLODE OR LEAK.

IMPORTANT INSTRUCTIONS

READ ALL INSTRUCTIONS BEFORE USE.

WARNING: KEEP BATTERIES AWAY FROM CHILDREN. If batteries are swallowed call the National Poison Control Center at 1-800-222-1222 or 202-625-3333. In Canada call 416-813-5900.

Note: This equipment may generate, use and/or radiate radio frequency energy that may cause harmful interference to radio communications. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to contact Vornado Consumer Service at 1-800-234-0604.

SAVE THESE INSTRUCTIONS

Trust.

It is said that trust isn't given, but earned. For decades Vornado has been earning the trust of our customers by offering them only the best. Vornado provides the highest level of performance, coupled with the highest level of support available. Complete satisfaction with no exceptions – this is Vornado's promise to you. If you are not satisfied for any reason, please contact us. Knowledgeable representatives are available at 1-800-234-0604 from 7:00 AM to 6:00 PM CST. A wealth of additional support is also available online at www.vornado.com. On behalf of myself and the entire staff at our Andover, Kansas headquarters – thank you for selecting Vornado.


Sincerely,
Randy Brillhart
CEO, Vornado Air



Find our complete product line at www.vornado.com

How To Use

Flippi™ was engineered to provide just the right amount of air, either directed at you to create a nice breeze, or away from you to create swirling currents of air, rejuvenating your personal space.



Direct Airflow

The power head can be adjusted 180 degrees to direct airflow where you need it. Or for an unobtrusive look when not in use, the power head can be positioned down into the "nested" position. Do not operate the fan when in the nested position, as no air will be circulated. Position Flippi away from objects that may block airflow.




Flippi V10

The Flippi V10 has 3 speed settings. Set "I" for Low, "II" for Medium and "III" for High. Turn dial to "O" to power unit Off.



The Flippi V10 features oscillation for more airflow possibilities. Oscillation can be turned On or Off with the rocker switch located on the back of the unit. Press (-) to turn oscillation On and (O) to turn oscillation Off.

How To Use



Flippi V

Power (A) The unit functions ON and OFF by pressing the POWER button. Lights on the unit's control panel indicate the power is ON.

Fan Speed (B) The fan speed can be adjusted by pressing the POWER button. Press the button to switch between the unit's 3 speed settings. Lights on the unit's control panel indicate the selected speed setting.

Oscillation (C) Oscillation can be selected by pressing the Oscillation Button, press again to switch OFF. **Note:** Oscillation only works when the main power is ON.

Remote Control Requires a line-of-sight path to the blue lens on the front of the base to allow for the signal to be received by the unit. To turn the unit

How To Use

ON or OFF, press the Power Button (D). To switch between the 3 fan speeds, press the Fan Speed Button (E). To turn oscillation ON or OFF, press the Oscillation Button (F). **Note:** Flippi will resume operation with the previous settings next time it is powered ON with the Remote.

Remote Control Battery The remote control comes with a 3 Volt lithium coin cell battery (CR2032). To install, remove the battery cover on the bottom of the remote control. Remove any plastic protection from the battery and place it in the remote with the + side facing out. Then reposition the cover onto the bottom of the remote. If your remote does not work, please try replacing with a new 3 Volt CR2032 battery.


Care and Maintenance

Because your Flippi moves a substantial amount of air, it will need regular cleaning. To clean, follow these simple instructions:

1. Unplug the unit.

Note: Do not use gasoline, thinners, solvents or other chemicals for cleaning.

2. Wipe off with a soft cloth, or vacuum the outside surfaces. The fan has no user serviceable parts inside and cannot be opened for cleaning. The motor is permanently lubricated and requires no oiling.





Flippi™ V and V10 • 5 Year Limited Warranty

Vornado Air LLC (“Vornado”) warrants to the original consumer or purchaser this Vornado® Flippi V and Flippi V10 (“Product”) is free from defects in material or workmanship for a period of five (5) years from the date of purchase. If any such defect is discovered within the warranty period, Vornado, at its discretion, will repair or replace the Product at no cost. Repairs not covered by the warranty or outside the warranty period will require a fee to cover the cost of materials, labor, handling and shipping.

This warranty does not apply to defects resulting from abuse of the Product, modification, alteration, repair or service of the Product by anyone other than Vornado, mishandling, improper maintenance, commercial use of the Product, damages which occur in shipment or are attributed to acts of God.

REPAIR OR REPLACEMENT AS PROVIDED UNDER THIS WARRANTY IS THE EXCLUSIVE REMEDY OF THE CONSUMER. VORNADO SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR BREACH OF ANY EXPRESS OR IMPLIED WARRANTY ON THIS PRODUCT. EXCEPT TO THE EXTENT PROHIBITED BY APPLICABLE LAW, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ON THIS PRODUCT IS LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY.

Some states do not allow the exclusion or limitation of incidental or consequential damages, or allow limitations on how long an implied warranty lasts, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may have other rights that vary from state to state.

Warranty

For warranty or repair service, call 1-800-234-0604 or email consumerservice@vornado.com to obtain a Return Authorization ("RA") form. Please have or include your Product's model number and serial number, as well as your name, address, city, state, zip code and phone number when contacting Vornado for warranty service. After receiving the RA form, ship your Product to:

Vornado Air LLC
Attn: Warranty & Repair
415 East 13th Street
Andover, KS 67002

For your convenience, please have your model number and serial number when contacting Vornado with service inquiries. To assure proper handling, packages must be clearly marked with the RA number. Packages not clearly marked with the RA number may be refused at the receiving dock. Please allow 1-2 weeks for repair and return of your Product after the Product is received. For your records: Staple or attach your original sales receipt to this Owner's Guide. Please also write your products's serial number below (located on product specs decal).

Serial No. _____

The manufacturer assumes no responsibility for damage or injury caused by failure to follow these instructions, improper product use, or unauthorized product modification. Any such actions will invalidate the product warranty.

Product registration available online at www.vornado.com

© 2015 Vornado Air LLC Andover, KS 67002

Patent Pending. Specifications subject to change without notice.

Vornado® and Flippi™ are trademarks owned by Vornado Air LLC.

www.vornado.com 1-800-234-0604 consumerservice@vornado.com



Vornado Air, LLC
415 East 13th Street, Andover, Kansas 67002
800.234.0604 | www.vornado.com

Speak your mind www.vornado.com/reviews
Hable con franqueza www.vornado.com/reviews
Exprimez-vous! www.vornado.com/reviews

CL3-0146 RD
CL7-0146 RD, V00